

Xtra Sharp

We Cut Straight!

MULTIPLE RIP SAWS
X BLADE SERIES

SJ-120

-XP: CE Certification

SJ-150


-XS: UL/CSA Certification



X Blade Multiple Rip Saw

Finished Product: Solid Oak Flooring


Perfect Jointing Accuracy!



User Experience

- Profile: Hardwood sawmill
- Location: United Kingdom
- Configuration: 1 X Blade rip saw & 2 Compact Edgers in series
- Material: Unedged Hardwood timber
- Cutting dimensions: 32mm (W) x 150mm (H) x 1200mm (L)
- Capacity: 1500 PCS/hour @ 30m/min (Excluding loading time)

Machining Procedure



Multiple Ripping



Single Ripping

CE Safety Guards

**CE Locking System
for Access Door to
the Saw Blade**

**Heavy Duty
Guiding Fence**

**User Friendly
Control Panel**

**Powerful Belt
Drive Motor**


**CE Electrical
Cabinet, incl.
Safety Relay,
Emergency
Stop and
Power Lock**

**Precision Saw Arbor
for Clean and
Smooth Cutting**

**Robust Machine Body
Designed with Welded
Steel Frame**

**Anti-kickback Fingers x3
(Bottom/Top/Top)**

**Automatic Lubrication
for Chain Conveyor**





Available Upon Request

IE3 Class Motor
Premium Efficiency

IE5 Class Motor
Ultra Premium Efficiency

**Xtra
Sharp**
We Cut Straight!

Metric / Imperial

Machine Size [L x W x H]

SJ-120 2070 x 1500 x 1715mm / 81 x 59 x 68"
SJ-150 2090 x 1500 x 1740mm / 82 x 59 x 69"

Packing Size [L x W x H]

SJ-120 1820 x 1560 x 1770mm / 72 x 61 x 70"
SJ-150 1840 x 1560 x 1795mm / 72 x 61 x 71"

N.W. / G.W.

SJ-120 1940 / 2080kg / 4280 / 4590lbs
SJ-150 2040 / 2180kg / 4500 / 4810lbs

Max. Saw Blade Dia. x Bore

SJ-120 Ø360mm x 70mm / Ø14" x 2.8"
SJ-150 Ø420mm x 70mm / Ø16.5" x 2.8"

Dust Collection Hole x Power

2pcs / Ø152mm / Ø6" x 5~10HP

Pressure Roller / Dia.

4pcs / Ø100mm / Ø3.9"

Max. Workpiece Thickness


SJ-120 100mm / 3.9" (Long plate) / 120mm / 4.7" (Short plate)
SJ-150 125mm / 4.9" (Long plate) / 150mm / 5.9" (Short plate)

Min. Workpiece Length

SJ-120 250mm / 9.8" (Long plate) / 600mm / 23.6" (Short plate)
SJ-150 300mm / 11.8" (Long plate) / 600mm / 23.6" (Short plate)

Max. Workpiece Width

680mm / 26.8"



www.Xtra-Sharp.com

XtraSharp Machinery Co., Ltd.
No.145, Lane 565, Pu Tsu St.,
Feng Yuan, Taichung 42072, Taiwan

T: +886-4-2522 5898
F: +886-4-2524 5820
E: william@Xtra-Sharp.com

M: +886 956 00 75 03 (Taiwan)
M: +32 496 77 96 78 (Belgium)

